

# Open Frame Power Supply Series



Industrial equipment



Medical equipment




Communication devices



Household electric appliances

## Open Frame Power Supply Series



## 12V AC-DC Open Frame Power Supply


## Main Specifications

Input	100-240Vac,50/60Hz
Output	12V
Protection	OCP/OVP/SCP

## Typical Model List

Model No.	Output	Efficiency	Operating Temperature	Product Dimension	Safety Certification
TPT12S12A	12V/1A	≥83%	-5 ~50°C	54.5*34.5*26mm	CCC/CE
TPT30S12A	12V/2.5A	≥85%	-25 ~70°C	115*46*28mm	CE/CB/FCC/UL
TPT36S12A	12V/3A	≥81%	-10 ~50°C	115*46*28mm	CQC/CC/UL/CB/BSMI/TUV-MARK
TPT48S12A	12V/4A	≥85%	-10 ~50°C	101*52*28mm	CB/UL/cUL
TPT60S12A	12V/5A	≥85%	-10 ~50°C	127*76*32mm	Applied by customer
TPT72S1206A	12V/6A	≥85%	-10 ~50°C	127*76*32mm	Applied by customer
TPT120S12A	12V/10A	≥82%	-10~55°C	135*76*32mm	Applied by customer
TPT175S12A	12V/16A	≥85%	-10~55°C	145*76*35mm	Applied by customer

## Open Frame Power Supply Series



## 70~160W Open Frame Power Supply

## Main Specifications

Input	100-240Vac 50/60Hz
Output Voltage	54V
Protection	OCP,SCP,OVP
Safety Certification	Applied by customer

## Typical Model List

Model No.	Output	Efficiency	Operating Temperature	Product Dimension
TPT70S54A	54V/1.3A	≥84%	-10~50°C	120*75*28mm
TPT90D5412A	54V/1.66A	≥89%	-5~40°C	120*75*28mm
TPT130D5412A	out1 54V/2.2A out2 12V/1A	≥84%	-10~40°C	150*80*32mm
TPT150S54A	54V/2.78A	≥90%	-5~50°C	127*76*32mm

## Open Frame Power Supply Series



## 160~400W Open Frame Power Supply

## Main Specifications

Input	100-240Vac,50/60Hz
Output Voltage	54V
Protection	OCP/OVP/SCP/OTP
Safety Certification	Applied by customer

## Typical Model List

Model No.	Output	Efficiency	Operating Temperature	Product Dimension
TPT166D5412A	out1 54V/2.62A out2 12V/2A	≥88%	-15~50°C	150*85*32mm
TPT250D5412A	out1 12V/3A out2 54V/4.18A	≥91%	-10~50°C	150*85*32mm
TPT280D5412A	out1 12V/3A out2 54V/4.7A	≥91%	0~50°C	150*85*32mm

## Open Frame Power Supply Series



## 400~900W Open Frame Power Supply

## Main Specifications

Input	100-240Vac, 50/60Hz
Average Efficiency	≥91%
Protection	OCP/OVP/SCP/OTP

## Typical Model List

Model No.	Output	Product Dimension	Safety Certification
TPT415D5212A	out1 54V/7.5A out2 12V/3A	220*103*38mm	CQC
TPT560D5412A	out1 54V/9.25A out2 12V/5A	240*103*38mm	Applied by customer
TPT900D5613A	out1 56V/14.3A out2 13V/7.7A	270*110*38mm	Applied by customer